

Ethiopia Trip Report (Alf & Jeannine King)

Sightings List

1. Little Grebe – common on most freshwater lakes
2. White-breasted (Great) Cormorant – present on all Rift Valley lakes
3. African Darter – Lakes Awassa & Ziway
4. Long-tailed Cormorant – present on all Rift Valley lakes.
5. Hamerkop – present on all Rift Valley lakes.
6. Goliath Heron – one at Lake Awassa
7. Grey Heron – seen around the Lakes Abiata/Shala/Langano region
8. Black-headed Heron – one along R6 around Langano, one at Lake Chelekleka
9. Intermediate Egret – one at Lake Awassa
10. Great White Egret – numerous and common around the Abiata/Shala complex, present at Awassa and Chelekleka
11. Little Egret – widespread in Rift Valley although not numerous
12. Cattle Egret – locally common around Rift Valley
13. Squacco Heron – present around vegetated edges of freshwater Rift valley lakes.
14. Green (Striated) Heron – one at Dawa River
15. Greater Flamingo – present in small numbers at salt lakes and some freshwater lakes in the Rift Valley
16. Lesser Flamingos – numerous at Lake Abiata
17. African Spoonbill – initially elusive but finally seen at Lakes Ziway and Chelekleka
18. Sacred Ibis – widespread and common
19. Glossy Ibis – five at Lake Ziway
20. Hadeda Ibis – widespread and common
21. **Wattled Ibis** – common at higher altitudes
22. Great White Pelican – numerous at all Rift Valley Lakes
23. Pink-backed Pelican – small groups at Lakes Chelekleka, Bishoftu and Hora
24. Marabou Stork – numerous around all Rift Valley freshwater lakes
25. Saddle-billed Stork – individual at Lake Awassa
26. African Openbill – one flew over in Negele region
27. Woolly-necked Stork – two at Wando Genet
28. Black Stork – 5 in flight over Bale mountains
29. Abdim's Stork – single alongside R6 just south of Addis Ababa
30. White Stork – common around Rift Valley freshwater lakes
31. Fulvous Whistling-duck – 10+ on Lake Chelekleka
32. White-faced Whistling-duck – present on Lake Ziway
33. White-backed Duck – a reasonable number on Lake Chelekleka
34. Maccoa Duck – singles on Lake Chelekleka
35. African Pygmy-goose – seen on Lakes Awassa and Ziway
36. **Blue-winged Goose** – seen at numerous small highland lakes throughout
37. Egyptian Goose – fairly common at a number of wetland sites
38. Spur-winged Goose – Lakes Ziway & Awassa
39. African Black Duck – seen on pools in the Bale Mountains
40. Yellow-billed Duck – seen around Solouta Plain, Bale Mountains and Sanetti Plateau
41. Northern Shoveler – large numbers at Lakes Ziway, Abiata and Chelekleka
42. Northern Pintail – large numbers at Lakes Abiata and Chelekleka
43. Hottentot Teal – four seen at Awassa River Bridge

44. Cape Teal – small numbers seen at Lake Chelekkeleka
45. Red-billed Teal – small numbers seen at Lake Chelekkeleka
46. Southern Pochard – present in reasonable numbers at Lake Chelekkeleka
47. Tufted Duck – 10+ seen at Lake Chelekkeleka
48. Black-shouldered Kite – individuals seen at lower altitudes along the R6
49. Yellow-billed Kite – present everywhere
50. African Fish-eagle – many found around all freshwater lakes
51. Lammergeier – readily seen around Debre Libanos gorge, one seen over Sanetti Plateau
52. Egyptian Vulture – seen at Debre Libanos, Lake Langano and Bale Mountains at least
53. Hooded Vulture – fairly common throughout
54. White-headed Vulture – one seen north of Negele on R44
55. White-backed Vulture – fairly common throughout
56. Ruppell's Vulture – some around Debre Libanos and Bale Mountains
57. Black-chested Snake-eagle – seen on two separate occasions along the road near Ziway
58. Brown Snake-eagle – single bird seen north of Negele
59. Bateleur – numerous individuals seen in the south
60. Western Marsh Harrier – seen around the freshwater lakes of Ziway and Chelekkeleka
61. Pallid Harrier – singles seen in Debre Libanos, Abiata, Awassa and Ziway areas
62. Montagu's Harrier – individuals seen around the Abiata, Ziway. Bishoftu regions
63. African Harrier-hawk (Gymnogene) – singles seen north of Negele and in Wando Genet
64. Gabar Goshawk – single bird seen in Harena Forest area
65. Dark Chanting-goshawk – single bird seen in Abiata-Shala National Park
66. Eastern Chanting-goshawk – locally common in south and along R6 near to Rift Valley Lakes
67. Great Sparrowhawk – two sightings in Wando Genet
68. Rufous-chested Sparrowhawk – one seen around Negele
69. Little Sparrowhawk – one in woodlands in Bale Mountains and one north of Negele
70. Common Buzzard – one near Awassa
71. Steppe Buzzard – a few around Debre Libanos and Rift Valley lakes
72. Mountain Buzzard – one around Wando Genet
73. Long-legged Buzzard – one around Dinsho (Bale mts.)
74. Augur Buzzard – commonplace around Bale Mountains, Negele, Yabello etc
75. Greater Spotted Eagle – two birds seen around Abiata/Shaba
76. Steppe Eagle – one on Sanetti Plateau
77. Tawny Eagle – widespread and common
78. Golden Eagle – one on Sanetti Plateau
79. Verreaux's Eagle – breeding pair and young in Debre Libanos gorge
80. Wahlberg's Eagle two separate birds seen in flight alongside R6 around Langano
81. Long-crested Eagle – common and widespread on roadside posts and trees
82. Common Kestrel – common and widespread
83. African Pygmy Falcon – widespread and fairly numerous
84. Lanner Falcon – one around Wach Tie, one around Solouta plains
85. Saker Falcon – one in Abiata/Shaba NP
86. Peregrine Falcon – one near Lake Awassa
87. Helmeted Guineafowl – groups at Melka Konture, Abiata/Shaba NP and Lake Langano

88. Vulturine Guineafowl – large flocks on the Wach Tie – Mega road
89. Moorland Francolin – individuals seen on Sanetti Plateau
90. Crested Francolin – regular sightings at irregular intervals
91. Yellow-necked Spurfowl – individuals seen at Dinsho and on the Yabello road
92. Chestnut-naped Spurfowl – a number of individuals seen around Goba
93. **Rouget's Rail** – common in Bale Mountains
94. Black Crake – at least two birds in Lake Awassa reedbed
95. African Purple Swampphen – two birds in Awassa reedbed
96. Allen's Gallinule – two birds at least in Awassa Reedbed
97. Common Moorhen – frequently seen around reedbeds
98. Red-knobbed Coot – locally numerous at Awassa, Ziway, Abiata, Chelekleka
99. Common Crane – numerous birds at Awassa, Chelekleka and Ziway
100. Black-crowned Crane – birds seen at Ziway and Chelekleka
101. Kori Bustard – single bird seen on Wach Tie – Mega road
102. Buff-crested Bustard – three single birds seen on Wach Tie – Mega road
103. White-bellied Bustard – single bird seen north of Negele
104. African Jacana – common at reedbeds around Ziway, Awassa, Chelekleka
etc
105. Temminck's Courser – one on Negele plains
106. Three-banded Courser – one around lookout point over Lake Shaba
107. Kittlitz's Plover – a number at Ziway and Abiata
108. Kentish Plover – a number seen at Ziway
109. Little Ringed Plover – small number of birds at Ziway and Abiata
110. Three-banded Plover – one on Solouta Plains, one at Ziway
111. Spur-winged Plover – widespread in appropriate habitat
112. Black-headed Lapwing – group of individuals around Melka Konture
113. Black-winged Lapwing – regular around small water bodies at high elevations
114. Crowned Lapwing – small group north of Negele
115. **Spot-breasted Lapwing** – small group on Solouta Plains
116. African Snipe – pair on Sanetti Plateau, four at Ziway
117. Black-winged Stilt – numerous at most suitable wetlands
118. Spotted Redshank – one at Awassa
119. Marsh Sandpiper – common at most suitable wetlands, also on Sanetti Plateau
120. Common Greenshank – common at most suitable wetlands
121. Ruff – common and numerous at most wetlands
122. Green Sandpiper – found at many small pools throughout
123. Wood Sandpiper – common and numerous at most suitable wetlands
124. Common Sandpiper – frequently found at most wetlands
125. Little Stint – many at Lakes Abiata and Ziway
126. Temminck's Stint – found at Lakes Abiata and Ziway
127. Heuglin's Gull – one seen on Lake Langano
128. Lesser Black-backed Gull – present on Lakes Langano, Awassa and Chelekleka
129. Grey-headed Gull – present on Lake Langano
130. Black-headed Gull – present on most lakes and wetlands
131. Gull-billed Tern – singles seen around most Rift Valley lakes
132. White-winged Tern – seen at Lakes Langano and Abiata
133. Chestnut-bellied Sandgrouse – small group in flight near Melka Konture
134. Speckled Pigeon – common everywhere
135. **White-collared Pigeon** – locally numerous notably around Debre Libanos and Bale Mountains
136. Lemon Dove – in woodland around Debre Libanos
137. Red-eyed Dove – common in many areas
138. African Mourning Dove – common in many areas

139. African Collared Dove – individuals seen in various locations
140. Laughing Dove – common in many areas
141. African White-winged Dove – a pair on the Dowa River
142. Dusky Turtle Dove – frequently seen at roadside around Debre Libanos
143. Bruce's Green Pigeon – pair seen at Awassa
144. Emerald-spotted Wood-dove – seen around Dowa River
145. Black-billed Wood-dove – individual seen around Dowa River
146. Tambourine Dove – individuals seen in Wando Genet
147. Namaqua Dove – uncommon but seen in many parts
148. **Yellow-fronted Parrot** – one elusive pair in Wando Genet
149. African Orange-bellied Parrot – one seen near Lake Langanano
150. **Black-winged Lovebird** – uncommon but seen regularly in suitable habitat including Ghion Hotel
151. White-cheeked Turaco – numerous birds seen at Debre Libanos and Wando Genet
152. **Prince Ruspoli's Turaco** – six birds at the site north of Negele
153. Bare-faced Go-away Bird – one bird seen on R6 near Langanano
154. White-bellied Go-away Bird – common throughout
155. White-browed Coucal – birds seen near Dowa River
156. Blue-headed Coucal – one bird seen at Awassa
157. Cape Eagle-owl – one at stake-out on road to Goba
158. Slender-tailed Nightjar – one flying over restaurant at Bekelle Molla hotel, Lake Langanano
159. Alpine Swift – a few birds seen over Bale Mountains
160. Mottled Swift – birds seen over Bale Mountains
161. Nyanza Swift – birds seen north of Addis Ababa
162. Speckled Mousebird – common and widespread
163. Blue-naped Mousebird – birds seen near Dowa river
164. Narina Trogon – single bird seen in Wando Genet
165. Eurasian Hoopoe – numerous birds seen in various parts of country
166. Black-billed Wood-hoopoe – 6+ different birds seen in isolated woodland areas throughout
167. Malachite Kingfisher – numerous at freshwater lakes
168. Woodland Kingfisher – many seen in appropriate habitat throughout
169. Striped Kingfisher – birds seen around Ziway and Langanano
170. Pied Kingfisher – common at most freshwater lakes
171. Lilac-breasted Roller – many seen on wires alongside main roads
172. Rufous-crowned Roller – widely distributed and seen regularly
173. Northern Carmine Bee-eater – common in Rift Valley areas
174. Little Bee-eater – seen at many sites throughout
175. Blue-breasted bee-eater – seen in many woodland areas around Rift Valley and Debre Libanos
176. Northern Ground-hornbill – seen in Abiata-Shaba NP and alongside R6
177. Eastern Yellow-billed Hornbill – seen in scrubland between Wach Tie and Mega
178. Northern Red-billed Hornbill – common and widespread
179. Von der Decken's Hornbill – seen frequently on many locations often alongside water
180. Hemprich's Hornbill – seen around Debre Libanos and Langanano
181. African Grey Hornbill – only one sighting outside of Yabello
182. Silvery-cheeked Hornbill – locally numerous especially in Awassa and Wando Genet
183. **Banded Barbet** – birds seen in Debre Libanos and Awassa
184. Red-fronted Barbet – birds seen in acacia scrub around Langanano

185. Black-throated Barbet – single bird seen in woodland on Wach Tie – Mega road
186. Black-billed Barbet – one bird in trees around Wabe Shabelle at Langano
187. Double-toothed Barbet – pair of birds in Awassa
188. D’Arnaud’s barbet – pair of birds in scrubland east of Wach Tie
189. Red-and-yellow Barbet – fairly numerous in dry scrub north of Negele
190. Greater Honeyguide – one bird at “Ruspoli’s site”
191. Lesser Honeyguide – one bird at Debre Libanos monastery
192. Rufous-breasted Wryneck – birds seen at Langano and Awassa
193. Grey Woodpecker – birds seen at Dinsho and Awassa
194. Grey-headed Woodpecker – birds seen at Debre Libanos, Langano, Awassa and Wando Genet
195. Nubian Woodpecker – birds seen at Debre Libanos, Langano and Awassa
196. Cardinal Woodpecker – birds seen at Melka Konture, Langano and Awassa
197. **Abyssinian Woodpecker** – birds seen at Debre Libanos, Dinsho and Wando Genet
198. Bearded Woodpecker – single bird seen at Melka Konture
199. Gillett’s lark – single bird seen at roadside west of Wach Tie
200. **Sidamo Lark** – single bird seen on Negele plains
201. Thekla Lark – numerous birds seen around mid level rocky areas
202. Erlanger’s Lark – birds seen on Solouta grasslands
203. Chestnut-backed Sparrow-lark – birds seen at Ziway
204. Sand Martin – birds seen frequently around lakes
205. Banded Martin – birds seen in mixed martin flock alongside R6
206. Rock Martin – birds seen at suitable habitats at Debre Libanos and in Bale Mountains
207. Brown Saw-wing – birds seen above suitable woodlands notable at Herena Forest and Wando Genet
208. Barn Swallow – common and widespread
209. Ethiopian Swallow – birds seen on Negele grasslands
210. Wire-tailed Swallow – birds seen at a number of locations notably Negele
211. **White-tailed Swallow** – single bird identified at Negele grasslands
212. Lesser-striped Swallow – birds seen around higher altitudes in Bale Mountains
213. Red-rumped Swallow – birds seen frequently in various locations
214. African Pied Wagtail – birds only seen around Debre Libanos
215. White Wagtail – birds seen infrequently but at various locations close to water
216. Mountain Wagtail – relatively common at higher altitudes
217. Grey Wagtail – birds seen frequently at numerous places
218. Yellow Wagtail – commonplace and notable at Awassa in their thousands
219. **Abyssinian Longclaw** – numerous birds seen on Solouta grasslands
220. Plain-backed Pipit – individual birds seen at Solouta, Ziway and Negele
221. Tawny Pipit – birds seen at Dowa river
222. Tree Pipit – two birds at Dinsho
223. Red-throated Pipit – birds seen at Solouta, Negele and Chelekleka
224. Black Cuckooshrike – single bird seen at Debre Libanos
225. Red-shouldered Cuckooshrike – pair of birds seen at Awassa
226. Fork-tailed Drongo – common and widespread in woodlands
227. Eastern Black-headed Oriole – widespread but infrequent in suitable habitat
228. **Ethiopian Oriole** – widespread and fairly common, notable at Wando Genet
229. Cape Crow – infrequently seen at a number of roadside locations
230. Red-billed Chough – 10+ birds seen on Sanetti Plateau
231. **Stresemann’s Bush-crow** – numerous birds seen around Mega & Yabello
232. Pied Crow – common but infrequently seen, mostly around habitation
233. Dwarf Raven – occasionally seen in small groups

234. Fan-tailed Raven – fairly common and widespread
235. **Thick-billed Raven** – common and numerous in suitable habitat
236. Mouse-coloured Penduline-tit – small group seen at Langano
237. Acacia Tit – individuals seen at Awassa
238. **White-backed Tit** – two birds seen at Dinsho
239. White-winged Black Tit – birds seen at Langano
240. Scaly Babbler – group of birds seen at Awassa
241. White-rumped Babbler – widespread
242. Rufous Chatterer – birds seen at Melka Konture
243. Dark-capped Bulbul – birds seen occasionally in numerous locations
244. Common Bulbul – common and widespread in appropriate habitation
245. Dodson's Bulbul – birds seen at Dowa river
246. Northern Brownbul – single bird seen in "Boubou" area near Negele
247. Rufous-tailed Rock-thrush – birds seen at Langano and in Bale Mountains
248. Blue Rock-thrush – pair seen at Melka Konture
249. Little Rock-thrush – birds seen at Melka Konture and frequently at Langano
250. Abyssinian Ground-thrush – birds seen at Dinsho and Wando Genet
251. Groundscraper Thrush – birds seen at a number of locations normally at roadsides
252. African Thrush – seen at Ruspoli's site and at Wando Genet
253. Mountain Thrush – fairly common and widespread in suitable habitat
254. Ruppell's Robin-chat – widespread and fairly common
255. White-browed Scrub-robin – single bird seen in scrub west of Negele
256. Common Redstart – single bird seen at Langano
257. Whinchat – pair of birds seen at Chelekleka
258. Ethiopian Stonechat – single bird seen at Awassa
259. Alpine Chat – very common throughout Bale Mountains
260. **Ruppell's Black Chat** – birds seen at Debre Libanos and Melka Konture
261. Northern Wheatear – single bird seen on Solouta grasslands
262. Isabelline Wheatear – Widespread and very common
263. Pied Wheatear – widespread and fairly common
264. Cyprus Wheatear – birds seen at Negele grasslands and at Dinsho
265. Botta's Wheatear – numerous birds seen at Solouta and in Bale Mountains
266. Abyssinian Black Wheatear – single bird seen at Melka Konture
267. Mocking Cliff-chat – birds seen at Melka Konture and Langano
268. **White-winged Cliff-chat** – birds seen at Debre Libanos gorge
269. Savi's Warbler – single bird seen at Awassa
270. Cinnamon Bracken-warbler – birds seen on descent from Sanetti Plateau
271. Sedge Warbler – birds seen at Chelekleka
272. Eurasian Reed-warbler – single birds seen at Chelekleka and Awassa
273. Great reed-warbler – single bird seen at Awassa
274. Lesser Swamp-warbler – single bird seen at Awassa
275. Upcher's Warbler – single bird seen at Awassa
276. Willow Warbler – very common in most woodlands near to water
277. Common Chiffchaff – common in most woodlands
278. Brown Woodland-warbler – numerous at Debre Libanos and seen at Dinsho and Awassa
279. Blackcap – individuals seen at Awassa and Lake Hora
280. Lesser Whitethroat – individuals seen at Negele, Awassa and Hora
281. Bale Parisoma – two birds seen at Dinsho
282. **Abyssinian Catbird** – single bird seen at Dinsho
283. Rattling Cisticola – birds seen in Abiata-Shaba NP
284. Boran Cisticola – single bird seen in Abiata-Shaba NP
285. Ethiopian Cisticola – birds seen at Solouta grasslands

286. Stout Cisticola – birds seen in Bale Mountains and lower area of Sanetti plateau
287. Desert Cisticola – birds seen on Negele grasslands
288. Pectoral-patch Cisticola – birds seen on Solouta grasslands
289. Yellow-breasted Apalis – birds seen in scrubland at Dinsho and Wach Tie
290. Tawny-flanked Prinia – seen at Debre Libanos and descent from Sanetti plateau
291. Buff-bellied Warbler – seen at Langano and in Bale Mountains
292. Yellow-bellied Eremomela – birds seen at Langano and Dowa
293. Green-backed Eremomela – seen at Abiata-Shaba NP, Bale and Dowa
294. Somali Crombec – single bird seen at Dowa
295. Red-faced Crombec – frequently seen in woodlands including Langano and Wando Genet
296. Grey-backed Camaroptera – seen at Langano, Dinsho and Wando Genet
297. Grey Wren-warbler – seen in woodland west of Negele
298. Pale Flycatcher – birds seen frequently in Bale/Sanetti areas
299. African Grey Flycatcher – seen at Melka Konture and Awassa
300. **Abyssinian Slaty Flycatcher** – seen at Debre Libanos, Bale mountains and Wando Genet
301. Northern Black Flycatcher – seen frequently in most suitable woodland
302. Spotted Flycatcher – single bird seen at Wando Genet
303. African Dusky Flycatcher – many birds present at Wando Genet and Hora
304. African Paradise-flycatcher – birds seen frequently at most suitable habitat throughout
305. Grey-headed Batis – seen in Bale Mountains and at “Boubou” site
306. Black-headed Batis – seen at “Boubou” site
307. Pygmy Batis – seen at “Boubou” site
308. Red-tailed Shrike – seen at Negele plain
309. Grey-backed Fiscal – seen frequently at roadsides in Rift Valley region
310. Taita Fiscal – one bird seen at roadside in Negele region
311. Somali Fiscal – one bird seen at roadside in Wach Tie region
312. Common Fiscal – frequent and common
313. Masked Shrike – one seen in Langano
314. Woodchat Shrike – seen at Ziway
315. Northern White-crowned Shrike – frequently seen in suitable habitat
316. Northern Puffback – seen at Debre Libanos, Bale and Wando Genet
317. Black-crowned Tchagra – seen at roadside site north of Negele
318. Three-streaked Tchagra – seen at roadside site east of Mega
319. Tropical Boubou – frequently seen and heard in Rift Valley
320. Brubru – seen at Abiata-Shaba NP
321. Rosy-patched Bush-shrike – pair seen in a roadside tree near Negele
322. Slate-coloured Boubou – seen at Langano and Negele region
323. Orange-breasted Bush-shrike – singles seen in Negele region
324. Grey-headed Bush-shrike – single seen at Ruspoli’s site
325. White Helmet-shrike – locally common around Negele region
326. Greater Blue-eared Starling – common and widespread in non-arid habitats
327. Ruppell’s Starling – common and widespread in central parts
328. Golden-breasted Starling – locally common in Negele region
329. Superb Starling – common almost throughout
330. Shelley’s Starling – locally common at roadsides in Negele/Mega region
331. White-crowned Starling – many seen along Negele-Mega road
332. Sharpe’s Starling – seen in Wando Genet
333. Violet-backed Starling – seen at “Boubou” site and Ruspoli’s site
334. Magpie Starling – small group seen in Bale mountains
335. Red-winged Starling – seen around Eagle-owl stakeout in Bale mountains

336. Bristle-crowned Starling – small group spotted in trees west of Wach Tie
337. **White-billed Starling** – seen around Debre Libanos and Bale Mountains
338. Wattled Starling – small groups seen at roadside along R6, around Negele and around Butajira
339. Red-billed Oxpecker – individuals seen with cattle around Abiata and Solouta
340. Tacazze Sunbird – seen at Debre Libanos, Dinsho and Wando Genet
341. Scarlet-chested Sunbird – singles and pairs seen frequently in appropriate habitat
342. Hunter's Sunbird – single bird seen west of Wach Tie
343. Collared Sunbird – seen at Awassa and Wando Genet
344. Variable Sunbird – many birds seen in all suitable habitats, especially Wando Genet
345. Marico Sunbird – seen around Langano, Melka Konture and Negele
346. Abyssinian White-eye – seen east of Mega and at Hora
347. Montane White-eye – Debre Libanos held many as did Hora
348. Shelley's Rufous Sparrow – group seen east of Mega
349. Swainson's Sparrow – widespread and common
350. Yellow-spotted Petronia – seen occasionally at numerous sites
351. Cut-throat Finch – single bird seen near Butajira
352. White-billed Buffalo-weaver – small numbers seen in Wando Genet
353. Red-billed Buffalo-weaver – groups seen around Negele
354. White-headed Buffalo-weaver – fairly common and widespread
355. White-browed Sparrow-weaver – seen at Ziway and Wando Genet
356. Grey-capped Social-weaver – seen north of Negele
357. Black-capped Social-weaver – seen at Dinsho
358. Ruppell's Weaver – readily seen around Negele and Wando Genet
359. Spectacled Weaver – seen at Ziway and Awassa
360. Village Weaver – fairly widespread
361. Southern Masked Weaver – seen around Langano and Abiata
362. Northern Masked Weaver – seen in Langano and Abiata-Shaba NP
363. Little Weaver – seen in Abiata-Shaba NP
364. Baglafaecht Weaver – seen in Debre Libanos, Awassa and Hora
365. Thick-billed Weaver – small group in Wando Genet
366. Red-headed Weaver – seen in many sites around Negele and Rift Valley
367. Red-billed Quelea – medium sized flock at Chelekleka
368. Black Bishop – single bird in Langano
369. Yellow Bishop – birds on Solouta grasslands
370. Red-billed Firefinch – at Ziway and Debre Libanos
371. African Quailfinch – single bird seen at Solouta grasslands
372. Bronze Manikin – small flock at Awassa and Chelekleka
373. Black-and-white Manikin – group of birds at Eagle-owl stakeout
374. African Silverbill – seen at Hora woodlands
375. Red-cheeked Cordonbleu – widespread and common
376. Purple Grenadier – seen at Dowa
377. Yellow-bellied Waxbill – at Wando Genet
378. Black-cheeked Waxbill – seen at Langano
379. Crimson-rumped Waxbill – small group in hotel grounds at Negele
380. Common Waxbill – seen at Awassa
381. Village Indigobird – seen at Melka Konture
382. Steel-blue Whydah – flight views near Negele
383. Reichenow's Seedeater – frequently seen in Rift Valley
384. **Ethiopian Siskin** – very common in Bale Mountains and Sanetti plateau
385. Yellow-crowned Canary – single birds seen in Bale Mountains
386. African Citril – seen at Ziway and Hora
387. Streaky Seedeater – seen on Solouta grassland in around Goba

388. Brown-rumped Seedeater – seen on Solouta grassland and in Bale Mountains
389. Cinnamon-breasted Bunting – seen at Debre Libanos and Butajira
390. Ortolan Bunting – seen in large numbers on Solouta grasslands

Mammals

1. Gelada Baboon
2. Olive Baboon
3. Guereza Colobus
4. Grivet Monkey
5. Tantalus Monkey
6. Numerous unidentified small bats
7. Cape Hare
8. Barbary Ground Squirrel
9. Giant Root Rat
10. Black-backed Jackal
11. Ethiopian Wolf
12. Ichneumon Mongoose
13. Spotted Hyena
14. Caracal
15. Rock Hyrax
16. Bush Hyrax
17. Common Zebra (boehmi)
18. Bush Pig
19. Common Warthog
20. Bushbuck
21. Mountain Nyala
22. Greater Kudu
23. Oribi
24. Salt's Dikdik
25. Grant's Gazelle
26. Thompson's Gazelle
27. Beisa Oryx